XXIX. A Catalogue of the Fifty Plants from Chelsea Garden, presented to the Royal Society by the worshipful Company of Apothecaries, for the Year 1756, pursuant to the Direction of Sir Hans Sloane, Baronet, Med. Reg. Soc. Reg. nuper Præses, by John Wilmer, M. D. clariss. Societatis Pharmaceut. Lond. Socius, Hort. Chels. Præsect. Præsector Botan.

Read April 28, 1701 A Brotanum campestre incanum Carlinæ odore. C. B. P.

1702 Abrotanum humile corymbis majoribus aureis. H. Reg. Par.

1703 Acer platanoides. Muntingii histor.

1704 Amelanchier. Lobel.

1705 Anchusa lutea minor. J. B. 3. 583.

Buglossum luteum annuum minimum. Tourn.
134.

1706 Arctotis ramis decumbentibus foliis linearilanceolatis rigidis fubtus argenteis flore magno aureo pediculo longiffimo. Miller's Icons.

1707 Ascyrum magno flore, C. B. 280.

1708 Asphodelus Allobrogicus magno flore Lilii H. L. 65.

1709 After caule ramoso scabro perenni foliis ovatis seffilibus pedunculis nudis unifloris. Miller's Icons.

1710 Astragalus repens minor flore cæruleo, siliqua Epiglottidi simili. Index Plant. Boerh.

1711 Barleria inermis foliis ovatis denticulatis petiolatis. Lin. Sp. Plant. 637.

Barleria folani folio flore coccineo. Plum.

nov. gen. 31.

1712 Blitum Kaly minus album dictum. Kaly minus Ger. Emac. 535.

1713 Campanula maxima foliis latissimis. C.B. 94.

1714 Caryophillus montanus umbellatus floribus variis, luteis ferrugineis Italicus. Barrel. obs. 648.

1715 Cataria Hispanica Betonicæ folio angustiore flore cæruleo. Tourn.

1716 Celastrus spinis nudis, ramis teretibus, foliis acutis. Hort. Cliff. 72.

Lycium. Boerhaav. Ind. alt. 2. 237.

1717 Cerasus racemosa sylvestris fructu non eduli rubro. H. R. Par.

Cerafia racemofa rubra. 2. Tabernamont. Icon, 987.

1718 Chamædrys Hispanica tenuisolia multislora. H. R. Par. Tourn. 205.

1719 Cherophyllum palustre latifolium slore albo. Boerh. 70.

Myrrhis palustre latifolia rubra. Tourn. 315.

1720 Chenopodium Stramonii folio. Vaill.

1721 Cirsium foliis non hirsutis floribus compactis. C. B. P. 377.

1722 Cirsium maximum Asphodeli radice. C. B. 377.

1723 Colutea foliolis ovatis integerrimis caule fruticoso. Phil. Miller's Icons.

1724 Convallaria foliis sessilibus racemo terminali composito. Lin. Sp. Pl. 315.

1725 Conyza mas Theophrasti major Dioscoridis. C. B. P. 265.

Major Monspeliensis odorata. J. B. 2. 1053.

- 1726 Coriandrum majus. C.B. 158. Officinar. 145.
- 1727 Cornus Orientalis sylvestris fructu teretiformi. T. Cor.
- 1728 Crithmum, five Fæniculum maritimum, minus. C. B. 288. Offic. 152.
- 1729 Crocus sativus. C. B. 65. Officinar. 152.
- 1730 Cyclamen vernum minus orbiculato folio, inferne rubente, flore minore ruberrimo. Mor. Hist. 3. 551.
- 1731 Elichrysum graveolens acutifolium alato caule. Hort. Eltham.
- 1732 Gramen spica aristata. Lin. Sp. Pl. 83.
 Gramen loliaceum spica longiore lolium Dioscoridis. C. B. P.
- 1733 Leucanthemum Tanaceti folio, flore majore. Boerh. 107.
 - Matricaria Tanaceti folio, flore majore, semine umbilicato. Tourn. 493.
- 1734 Meadia. Catesby Hist. Car. 3. p. r. Dodecatheon. Lin. Sp. Pl. 144.
- 1735 Medica magno fructu, aculeis sursum et deorsum rendentibus. Tourn. 411.
- 1736 Moscatellina foliis sumariæ bulbosæ, de qua Cordus. J. B. 2. 206.

Radix cava minima viridi flore. Ger. 933.

1737 Narcissus Illyricus Liliaceus. C. B. P. 55.
Pancratii Monspeliaci Hemerocallidis Valentinæ facie. Lilio-narcissus, vel Narcissus tertius Matthioli. J. B. 2. 613.

[239]

1738 Osmunda vulgaris et palustris. Tourn. 547. Filix ramofa non dentata florida. C.B.P. 357.

1739 Papaver laciniato folio capitulo hispido rotundiore. Tourn.

Argemone capitulo rotundiore. Park. 369.

1740 Papaver Orientale hirsutissimum magno slore. Tourn. Cor. 17.

1741 Periclymenum perfoliatum Virginianum fempervirens et florens. H. L. B.

1742 Phillyrea, Olez Ephefiacz folio. Pluk. Phyt. Tab. 310. fig. 5.

1743 Phlomis Lychnitis. Cluf. Hift. 27.

Verbascum sylvestre Monspeliense slore luteo hiante. J. B. 3. 307.

1744 Polygonum foliis cordatis caule volubili, floribus carinatis. Lin. Sp. Plant. 364.

Fagopyrum scandens Americanum maximum. Tourn. Inft.

1745 Saxifraga sedi folio, flore albo, multiflora. T. 252.

Sedum Pyrenaicum pyramidale longifolium elegantissimum. Schol. Botan. Par.

Sanicula Pyrenaica longifolia multiflora elegantissima. H.L.

1746 Serratula Noveboracensis maxima foliis longis serratis. Hort. Eltham. 355.

1747 Thalictrum minus. C. B. P. 337.

Thalictrum minus seu Rutæ pratensis genus minus semine striato. J. B. 3. 487.

1748 Verbascum sæmina slore luteo magno. C. B. 239.

1749 Vicia leguminibus sessilibus restexis pilosis solitariis pentaspermis corollæ vexilis glabris. Lin. Sp. Pl. 736.

Vicia

[240]

Vicia leguminibus folitariis deorsum flexis hirfutis. Sauv. Monspeliens. 235.

1750 Ulmus folio latissimo scabro. Ger. Emac. 1481. Latiore folio. Park. 1404.

XXX. Remarks on the Opinion of Henry Eeles, Efq; concerning the Ascent of Vapour, published in the Philosoph. Transact. Vol. xlix. Part i. p. 124. By Erasmus Darwin, M.D. Communicated by Mr. William Watson, F.R.S.

To Mr. William Watson, F.R.S.

SIR,

THE inclosed papers were designed for the perusal of the Royal Society; being an endeavour to confute the opinion of Mr. Eeles about the ascent of vapours, published in the last volume of their Transactions. But the author, having no electrical friend, whose sagacity he could conside in, has at length prevailed upon himself to be so free to send them to Mr. Watson; to whom the world is so much indebted for the advancement of their knowlege in electricity.

Whence, Sir, if you should think, that these papers have truth, the great Diana of real philosophers, to patronize them, you will confer a favour upon me, by laying them before that learned Body. If, on the contrary, you should deem this confutation trifling